

### 3VA21165HL360AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3va21165hl360aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	3VA2116-5HL36-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.06.2012
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4042948833230.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	L0A-----
Quantity in Package	1
Packaging Length	200,00
Packaging Width	134,00
Packaging Height	145,00
Packaging Size	MM
Product Description	wyłącznik 3VA2 IEC Frame 160 zdolność załączania M Icu=55kA przy 415V 3-bieg., ochrona instalacji ETU320, LI, In=160A zabezpieczenie od przeciążeń Ir=63A...160A zabezpieczenie przeciwzwarciowe Ii=1,5...10 x In przyłącze zaciskowe
Product Code	5374
Comparative Metals Coefficient	01.06.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
UPC	804766446818.0
Weight	2236

<b>Article Number</b>	3VA21165HL360AA0
<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	LV10.1
<b>Packaging Dimensions</b>	5.276 x 7.874 x 5.709
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	690 V, 415 V
<b>Product Group</b>	5374
<b>Net Weight</b>	4.938 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85362090
<b>Current Rating</b>	160 A
<b>Number of Poles</b>	3

## Description

SIEMENS LOW VOLTAGE 3VA IEC MOLDED CASE CIRCUIT BREAKER WITH ELECTRONIC TRIP UNIT. 3VA21 FRAME WITH MEDIUM (CLASS M) BREAKING CAPACITY. 160A 3-POLE Icu: (2.5KAIC AT 690V) (55KAIC AT 415V). ETU320 TRIP UNIT LI. SPECIAL FEATURES: CONNECTION WITH BOX TERMINAL / STEEL WRAP AROUND LUG. DIMENSIONS (W x H x D) IN: 4.1 x 7.1 x 4.2.