

3VA21166HL420AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va21166hl420aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Product ID	3VA2116-6HL42-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.06.2012
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4042948833186.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	L0A-----
Quantity in Package	1
Packaging Length	200,00
Packaging Width	169,00
Packaging Height	145,00
Packaging Size	MM
Product Code	5374
Comparative Metals Coefficient	01.06.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
UPC	804766446764.0
Weight	2717
Article Number	3VA21166HL420AA0
Product Family	Ordering Data Overview
Catalog ID	LV10.1

Packaging Dimensions	6.654 x 7.874 x 5.709
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	690 V, 415 V
Product Group	5374
Net Weight	5.990 lb
Packaging Quantity	1 pieces
Commodity Code	85362090
Current Rating	160 A
Number of Poles	4

Description

SIEMENS LOW VOLTAGE 3VA IEC MOLDED CASE CIRCUIT BREAKER WITH ELECTRONIC TRIP UNIT. 3VA21 FRAME WITH HIGH (CLASS H) BREAKING CAPACITY. 160A 4-POLE Icu: (2.5KAIC AT 690V) (85KAIC AT 415V). ETU320 TRIP UNIT LI. SPECIAL FEATURES: CONNECTION WITH LUG TERMINAL / NUT KEEPER. DIMENSIONS (W x H x D) IN: 5.5 x 7.1 x 4.2.