

3VA2220-7MN32-0AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va2220-7mn32-0aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	LOA-----
Quantity in Package	1
Packaging Length	200,00
Packaging Width	134,00
Packaging Height	145,00
Packaging Size	MM
Product Description	wyłącznik 3VA2 IEC Frame 250 zdolność załączania C Icu=110kA przy 415V 3-bieg., ochrona silnika, ETU350M, LSI, In=200A, zabezpieczenie od przeciążeń Ir=80A...200A zabezpieczenie przeciwzwarciowe Isd=3...15 x Ir, Ii=15 x In przyłącze płaskie śrubowe
Product Code	5374
Comparative Metals Coefficient	01.06.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
UPC	804766433924.0
Weight	2184
Product ID	3VA2220-7MN32-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.06.2012
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4042948830567.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09

Article Number	3VA22207MN320AA0
Product Family	Ordering Data Overview
Packaging Dimensions	5.276 x 7.874 x 5.709
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	690 V, 415 V
Product Group	5374
Net Weight	4.815 lb
Packaging Quantity	1 pieces
Commodity Code	85362090
Current Rating	200 A
Number of Poles	3
Catalog ID	LV10.1