

3VA23405KP320AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va23405kp320aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

AL Field	N
Country of Origin	CZ
Product ID	3VA2340-5KP32-0AA0
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10.1
Metals Coefficient	L0A-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
Compliance	Produkt zgodny z RoHS od: 01.04.2014
Configurable Product	False
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4042948806593.0
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	265,00
Packaging Width	165,00
Packaging Height	170,00
Product Code	5374
Comparative Metals Coefficient	01.04.2014
UPC	804766433399.0
Weight	4784
Article Number	3VA23405KP320AA0
Product Family	Ordering Data Overview
Catalog ID	LV10.1

Packaging Dimensions	6.496 x 10.433 x 6.693
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	690 V, 415 V
Product Group	5374
Net Weight	10.419 lb
Packaging Quantity	1 pieces
Commodity Code	85362090
Current Rating	400 A
Number of Poles	3

Description

SIEMENS LOW VOLTAGE 3VA IEC MOLDED CASE CIRCUIT BREAKER WITH ELECTRONIC TRIP UNIT. 3VA23 FRAME WITH MEDIUM (CLASS M) BREAKING CAPACITY. 400A 3-POLE Icu: (5KAIC AT 690V) (55KAIC AT 415V). ETU850 TRIP UNIT LCD LSI WITH METERING. SPECIAL FEATURES: CONNECTION WITH LUG TERMINAL / NUT KEEPER. DIMENSIONS (W x H x D) IN: 5.4 x 9.8 x 5.4.