

### 3VA2510-6HL32-0AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3va2510-6hl32-0aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	3VA2510-6HL32-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.01.2016
Configurable Product	False
Copper Weight	0
Country of Origin	MX
EAN	4042948836460.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	LPB-----
Quantity in Package	1
Packaging Length	365,00
Packaging Width	248,00
Packaging Height	178,00
Packaging Size	MM
Product Description	wyłącznik 3VA2 IEC Frame 1000 zdolność załączania H Icu=85kA przy 415V 3-bieg., ochrona instalacji ETU320, LI, In=1000A, zabezpieczenie od przeciążeń Ir=400A...1000A zabezpieczenie przeciwzwarciowe Ii=1,5...10 x In przyłącze płaskie śrubowe
Product Code	5374
Comparative Metals Coefficient	01.01.2016
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
UPC	195125111400.0

<b>Weight</b>	13934
---------------	-------