

3VA5180-4EC31-0AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va5180-4ec31-0aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Product ID	3VA5180-4EC31-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.01.2016
Configurable Product	False
Copper Weight	0
Country of Origin	MX
EAN	4042948841167.0
ECCN	EAR99
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	L0A-----
Quantity in Package	1
Packaging Length	150,00
Packaging Width	92,00
Packaging Height	116,00
Packaging Size	MM
Product Description	wyłącznik 3VA5 UL Frame 125 zdolność załączania S 25kA przy 480V 3-bieg., ochrona instalacji TM230, FTAM, In=80A, zabezpieczenie od przeciążeń Ir=80A nastawiony na stałe zabezpieczenie przeciwzwarciowe Ii=5...10 x In bez przyłącza
Product Code	5385
Comparative Metals Coefficient	01.01.2016
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
UPC	804766300899.0
Weight	950
Voltage Rating	480 V

Article Number	3VA51804EC310AA0
Product Family	Ordering Data Overview
Catalog ID	LV10
Packaging Dimensions	3.622 x 5.906 x 4.567
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Current Rating	80 A
Number of Poles	3
Product Group	5385
Net Weight	2.114 lb
Packaging Quantity	1 pieces
Commodity Code	85362090

Description

SIEMENS LOW VOLTAGE 3VA UL MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA51 FRAME WITH STANDARD (CLASS S) BREAKING CAPACITY. 80A 3-POLE (14KAIC AT 600Y/347) (25KAIC AT 480V). TM230 TRIP UNIT WITH FIXED I_r ADJUSTABLE I_i . SPECIAL FEATURES: WITHOUT LUGS. DIMENSIONS (W x H x D) IN: 3 x 5.5 x 3.7.