

3VA52125ED310AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va52125ed310aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Weight	2.27 kgs
Product ID	3VA5212-5ED31-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.01.2016
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4042948854471.0
ECCN	EAR99
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	L0A-----
Quantity in Package	1
Packaging Length	245,00
Packaging Width	150,00
Packaging Height	160,00
Packaging Size	MM
Product Description	wyłącznik 3VA5 UL Frame 250 zdolność załączania M 35kA przy 480V 3-bieg., ochrona instalacji TM210, FTFM, In=125A, zabezpieczenie od przeciążeń Ir=125A nastawiony na stałe zabezpieczenie przeciwzwarciowe Ii=10 x In bez przyłącza
Product Code	5385
Comparative Metals Coefficient	01.01.2016
Unit of Measure	ST
UPC	804766308581.0
Article Number	3VA52125ED310AA0
Product Family	Ordering Data Overview

Product Group	5385
Catalog ID	LV10
Net Weight	4.497 lb
Packaging Dimensions	5.906 x 9.646 x 6.299
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	8536200020
Current Rating	125 A
Voltage Rating	600 V, 480 V
Number of Poles	3

Description

SIEMENS LOW VOLTAGE 3VA UL MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA52 FRAME WITH MEDIUM (CLASS M) BREAKING CAPACITY. 125A 3-POLE (18KAIC AT 600V) (35KAIC AT 480V). TM210 TRIP UNIT WITH FIXED I_r FIXED I_i . SPECIAL FEATURES: WITHOUT LUGS. DIMENSIONS (W x H x D) IN: 4.1 x 7.3 x 4.2.