

3VA52255ED310AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va52255ed310aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Weight	1.81 kgs
Product Description	wyłącznik 3VA5 UL Frame 250 zdolność załączania M 35kA przy 480V 3-bieg., ochrona instalacji TM210, FTFM, In=250A zabezpieczenie od przeciążeń Ir=250A nastawiony na stałe zabezpieczenie przeciwzwarciowe Ii=10 x In bez przyłącza
Product Code	5385
Comparative Metals Coefficient	01.01.2016
Unit of Measure	ST
UPC	804766308185.0
Product ID	3VA5225-5ED31-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.01.2016
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4042948853375.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	L0A-----
Quantity in Package	1
Packaging Length	245,00
Packaging Width	150,00
Packaging Height	160,00
Packaging Size	MM
Article Number	3VA52255ED310AA0
Product Family	Ordering Data Overview

Catalog ID	LV10
Packaging Dimensions	5.906 x 9.646 x 6.299
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	600 V, 480 V
Number of Poles	3
Product Group	5385
Net Weight	4.445 lb
Packaging Quantity	1 pieces
Commodity Code	8536200020
Current Rating	250 A

Description

SIEMENS LOW VOLTAGE 3VA UL MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA52 FRAME WITH MEDIUM (CLASS M) BREAKING CAPACITY. 250A 3-POLE (18KAIC AT 600V) (35KAIC AT 480V). TM210 TRIP UNIT WITH FIXED I_r FIXED I_i . SPECIAL FEATURES: WITHOUT LUGS. DIMENSIONS (W x H x D) IN: 4.1 x 7.3 x 4.2.