

3VA53307EF310AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va53307ef310aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	3VA5330-7EF31-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.11.2018
Configurable Product	False
Country of Origin	Czech Republic
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	LOA-----
Packaging Size	MM
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4042949048664
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	261,00
Packaging Width	162,00
Packaging Height	170,00
Product Code	5385
Comparative Metals Coefficient	01.11.2018
Weight	4753 kg
Product Description	wyłącznik 3VA5 UL Frame 400 zdolność załączania C 100kA przy 480 V 3-biegunowy, ochrona instalacji TM240, ATAM, In=300A zabezpieczenie od przeciążeń Ir=240A ...300A zabezpieczenie przeciwzwarciowe Ii=5...10 x In bez przyłącza
UPC	804766793455
Article Number	3VA53307EF310AA0
Product Family	Ordering Data Overview

Product Group	5385
Catalog ID	LV10
Net Weight	10.479 lb
Packaging Dimensions	6.378 x 10.276 x 6.693
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85362090
Current Rating	300 A
Voltage Rating	600 V, 480 V
Number of Poles	3

Description

SIEMENS LOW VOLTAGE 3VA UL MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA53 FRAME WITH VERY HIGH (CLASS C) BREAKING CAPACITY. 300A 3-POLE (35KAIC AT 600V) (100KAIC AT 480V). TM240 TRIP UNIT WITH ADJUSTABLE I_r ADJUSTABLE I_i . SPECIAL FEATURES: WITHOUT LUGS. DIMENSIONS (W x H x D) IN: 5.4 x 9.8 x 5.4.