

3VA54605EF310AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va54605ef310aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	3VA5460-5EF31-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.11.2018
Configurable Product	False
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	LOA-----
Packaging Size	MM
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	261,00
Packaging Width	162,00
Packaging Height	170,00
Product Code	5385
Comparative Metals Coefficient	01.11.2018
Weight	4738 kg
Product Description	wyłącznik 3VA5 UL Frame 600 zdolność załączania M 35kA przy 480 V 3-biegunowy, ochrona instalacji TM240, ATAM, In=600A, zabezpieczenie od przeciążeń Ir=480A ...600A zabezpieczenie przeciwzwarciowe Ii=4...8 x In bez przyłącza
EAN	4042949067351
UPC	804766792274
Country of Origin	Czech Republic
Article Number	3VA54605EF310AA0
Product Family	Ordering Data Overview

Product Group	5385
Catalog ID	LV10
Net Weight	11.464 lb
Packaging Dimensions	6.378 x 10.276 x 6.693
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85362090
Current Rating	600 A
Voltage Rating	600 V, 480 V
Number of Poles	3

Description

SIEMENS LOW VOLTAGE 3VA UL MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA54 FRAME WITH MEDIUM (CLASS M) BREAKING CAPACITY. 600A 3-POLE (18KAIC AT 600V) (35KAIC AT 480V). TM240 TRIP UNIT WITH ADJUSTABLE Ir ADJUSTABLE Ii. SPECIAL FEATURES: WITHOUT LUGS. DIMENSIONS (W x H x D) IN: 5.4 x 9.8 x 5.4.