

3VA61600HL310AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va61600hl310aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	3VA6160-0HL31-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2019
Configurable Product	False
Country of Origin	Czech Republic
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	LOA-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4042949435310
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	200,00
Packaging Width	134,00
Packaging Height	145,00
Product Code	5383
Comparative Metals Coefficient	01.10.2019
UPC	804766977732
Weight	2500 kg
Product Description	wyłącznik 3VA6 UL Frame 150 Klasa zdolności łączeniowej E 200 kA przy 480 V 3-bieg., ochrona instalacji ETU320, LI, In=60A, zabezpieczenie od przeciążeń Ir=24A ...60A zabezpieczenie przeciwzwarciowe Ii=1,5...12 x In bez przyłącza

Article Number	3VA61600HL310AA0
Product Family	Ordering Data Overview
Product Group	5383
Catalog ID	LV10
Net Weight	5.512 lb
Packaging Dimensions	5.276 x 7.874 x 5.709
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85362090
Current Rating	60 A
Voltage Rating	600 V, 480 V
Number of Poles	3

Description

SIEMENS LOW VOLTAGE 3VA UL MOLDED CASE CIRCUIT BREAKER WITH ELECTRONIC TRIP UNIT. 3VA61 FRAME WITH VERY HIGH (CLASS E) BREAKING CAPACITY. 60A 3-POLE (100KAIC AT 600V) (200KAIC AT 480V). ETU320 TRIP UNIT LI. SPECIAL FEATURES: WITHOUT LUGS. DIMENSIONS (W x H x D) IN: 4.1 x 7.8 x 4.2.