

### 3VA6225-5HN31-2AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3va6225-5hn31-2aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	3VA6225-5HN31-2AA0
Compliance	Produkt zgodny z RoHS od: 01.01.2016
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4042948856321.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	L0A-----
Quantity in Package	1
Packaging Length	242,00
Packaging Width	148,00
Packaging Height	159,00
Packaging Size	MM
Product Description	wyłącznik 3VA6 UL Frame 250 zdolność załączania M 35kA przy 480V 3-bieg., ochrona instalacji ETU350, LSI, In=250A zabezpieczenie od przeciążeń 100% rated Ir=100A...250A zabezpieczenie przeciwzwarciove Isd=1,5...10 x Ir, Ii=10 x In bez przyłącza
Product Code	5383
Comparative Metals Coefficient	01.01.2016
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
UPC	804766310133.0
Weight	2300
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090

<b>Article Number</b>	3VA62255HN312AA0
<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	LV10
<b>Packaging Dimensions</b>	5.827 x 9.528 x 6.26
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	480 V
<b>Product Group</b>	5383
<b>Net Weight</b>	5.071 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85362090
<b>Current Rating</b>	250 A
<b>Number of Poles</b>	3