

3VA62255HL310AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va62255hl310aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Weight	2.27 kgs
Product ID	3VA6225-5HL31-0AA0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Compliance	Produkt zgodny z RoHS od: 01.01.2016
Configurable Product	False
Copper Weight	0
Country of Origin	CZ
EAN	4042948856413.0
ECCN	9N9999
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	L0A-----
Quantity in Package	1
Packaging Length	200,00
Packaging Width	134,00
Packaging Height	145,00
Packaging Size	MM
Product Description	wyłącznik 3VA6 UL Frame 250 zdolność załączania M 35kA przy 480V 3-bieg., ochrona instalacji ETU320, LI, In=250A zabezpieczenie od przeciążeń Ir=100A...250A zabezpieczenie przeciwzwarciowe Ii=1,5...10 x In bez przyłącza
Product Code	5383
Comparative Metals Coefficient	01.01.2016
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
UPC	804766310225.0

Article Number	3VA62255HL310AA0
Product Family	Ordering Data Overview
Catalog ID	LV10
Packaging Dimensions	5.276 x 7.874 x 5.709
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	480 V
Product Group	5383
Net Weight	4.850 lb
Packaging Quantity	1 pieces
Commodity Code	85362090
Current Rating	250 A
Number of Poles	3

Description

SIEMENS LOW VOLTAGE 3VA UL MOLDED CASE CIRCUIT BREAKER WITH ELECTRONIC TRIP UNIT. 3VA62 FRAME WITH MEDIUM (CLASS M) BREAKING CAPACITY. 250A 3-POLE (18KAIC AT 600Y/347) (35KAIC AT 480V). ETU320 TRIP UNIT LI. SPECIAL FEATURES: WITHOUT LUGS. DIMENSIONS (W x H x D) IN: 4.1 x 7.8 x 4.2.