

3VA64605HL310AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	3va64605hl310aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Aluminium Weight	0
Product ID	3VA6460-5HL31-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2016
Configurable Product	False
Country of Origin	Czech Republic
ECCN	9N9999
ETIM 7	EC000228
Group Classification Key	P360
List of Characteristics	LV10
Metals Coefficient	LOA-----
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
Weight	4967 kg
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
eClass 6	27-37-04-09
eClass 7.1	27-37-04-09
eClass 8	27-37-04-09
eClass Version 9	27-37-04-09
eClass Version 9.1	27-37-04-09
Quantity in Package	1
Packaging Length	265,00
Packaging Width	165,00
Packaging Height	170,00
Product Code	5383
Comparative Metals Coefficient	01.01.2016
UPC	804766316036
Product Description	wyłącznik 3VA6 UL Frame 600 zdolność załączania M 35kA przy 480V 3-bieg., ochrona instalacji ETU320, LI, In=600A, zabezpieczenie od przeciążeń Ir=240A...600A zabezpieczenie przeciwzwarciowe Ii=1,5...9 x In bez przyłącza
EAN	4042948862605

Article Number	3VA64605HL310AA0
Product Family	Ordering Data Overview
Catalog ID	LV10
Packaging Dimensions	6.496 x 10.433 x 6.693
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	600 V, 480 V
Product Group	5383
Net Weight	10.950 lb
Packaging Quantity	1 pieces
Commodity Code	8536200020
Current Rating	600 A
Number of Poles	3

Description

The 3VA6 UL Frame 600 circuit breaker features a switching capacity of 35kA at 480V, three-pole design, with installation protection ETU320, LI. The rated current is 600A, with overload protection ranging from 240A to 600A and short-circuit protection from 1.5 to 9 times In. This product is RoHS compliant since 01.01.2016 and is manufactured in the Czech Republic.