

### 3VA9113-0RL20

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	3va9113-0rl20
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.34 kgs
Product ID	3VA9113-0RL20
Compliance	Produkt zgodny z RoHS od: 01.04.2014
Country of Origin	CN
eClass 6	27-37-92-01
eClass 8	27-37-92-01
ETIM 7	EC002498
List of Characteristics	LV10.1
eClass Version 9.1	27-37-92-01
Group Classification Key	P360
Packaging Length	134,00
Configurable Product	False
ECCN	N
eClass 7.1	27-37-92-01
eClass Version 9	27-37-92-01
Metals Coefficient	L-A-----
Packaging Size	MM
Packaging Width	91,00
Packaging Height	117,00
Product Description	zabezpieczenie różnicowoprądowe RCD520 Basic RCD typ A zainstalowane na dole Znamionowy prąd uszkodzeniowy 0,03...5A przy 50/60Hz z regulacją tv 0...3000ms 3-bieg. In=160A Ue=100-480V akcesorium do: 3VA1
Comparative Metals Coefficient	01.04.2014
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Aluminium Weight	0
AL Field	N
Argent Weight	0
Customs Tariff Code	85363090
Copper Weight	0
EAN	4042949002000.0
Quantity in Package	1
Product Code	5376
UPC	804766449178.0
Article Number	3VA91130RL20

<b>Product Family</b>	Ordering Data Overview
<b>Packaging Dimensions</b>	3.583 x 5.276 x 4.606
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	480 V
<b>Frequency Range</b>	50 - 60 Hz
<b>Product Group</b>	5376
<b>Net Weight</b>	1.715 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85363090
<b>Current Rating</b>	160 A
<b>Number of Poles</b>	3
<b>Catalog ID</b>	LV10.1
<b>Trip Curve</b>	Z