

### 4AM6542-5CT10-0FA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	4am6542-5ct10-0fa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	29.03 kgs
Product ID	4AM6542-5CT10-0FA0
Copper Weight Unit	KG
Country of Origin	CZ
EAN	4001869903293.0
ECCN	N
eClass 6	27-03-13-01
eClass 7.1	27-03-13-01
eClass 8	27-03-13-01
eClass Version 9	27-03-13-01
eClass Version 9.1	27-03-13-01
ETIM 7	EC002485
Group Classification Key	R750
List of Characteristics	CC-IC10
Metals Coefficient	--3-----
Quantity in Package	1
Packaging Length	380,00
Packaging Width	370,00
Packaging Height	400,00
Packaging Size	MM
Product Description	TRANSFORM. 1-FAZ. SITAS, PN/PN (S6)(KVA):2,5 /13,3; U1N(V) :440+/-5%; U2N:230V, I2(A) :10,9, 50-60HZ, UKŁ.POŁ./EKR. UZWOJEŃ:II0/0; TA=40°C(T40/B), IP00; RODZAJ ZACISKÓW:ŚRUB. /WTYK PŁASKI, INSTAL.: ŚRUB., EN 61558-2-1, -2-2, -2-4
Product Code	5872
Comparative Metals Coefficient	01.07.2006
Unit of Measure	ST
UPC	754554842554.0
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85043200
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Copper Weight	6,400

## Description

TRANSFORMER SITAS; PHASES:1; PN/PN(S6)(KVA):2,5 /13,3; UPRI(V):440+/-5%; USEC(V):230;  
ISEC(A):10,9; F(HZ):50...60; VECTOR GR./SHIELD WNG.:II0 /0; TA/ISOKL:40 /B; IP00; TYPE OF  
TERMINALS:SCREW/TAB CONNECTION; INSTALLATION:SCREW; EN 61558-2-1, -2-2, -2-4  
>UL/CSA-RECOGNIZED< >CONTROL CIRCUIT TRANSFORMER< >ISOLATION TRANSFORMER<