

4AV21062EB000A

Industrial automation components

Manufacturer	Siemens
Catalog number	4av21062eb000a
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Product Description	ZASILACZ, 1-FAZ., PN(KW):0,024; U1N(V):400(415); U2N(V DC):24; I2(A DC):1; 50-60HZ, UKŁ.POŁ. /EKRANOW.UZW.:II0 /0; KLASA OCHR.:I, TA/KL.IZOL.:60 /B; W(%):5; IP00; RODZAJ PRZYŁ.: ŚRUB. /PŁASKIE, INSTAL.:SZYNY MONT., EN 6155
Product Code	5877
Comparative Metals Coefficient	01.07.2006
Unit of Measure	ST
Weight	1337
Country of Origin	CZ
EAN	4001869930572.0
ECCN	N
eClass 6	27-04-90-02
eClass 7.1	27-04-90-02
eClass 8	27-04-90-02
eClass Version 9	27-04-07-01
eClass Version 9.1	27-04-07-01
ETIM 7	EC002540
Group Classification Key	R750
List of Characteristics	CC-IC10
Metals Coefficient	--3-----
Quantity in Package	1
Packaging Length	155,00
Packaging Width	130,00
Packaging Height	50,00
Packaging Size	MM
Product ID	4AV2106-2EB00-0A
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85043180
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Copper Weight	0,290
Copper Weight Unit	KG
Article Number	4AV21062EB000A
Product Family	SIRIUS non-stabilized power supplies

Catalog ID	CC-IC10
Packaging Dimensions	5.433 x 4.724 x 1.85
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
IP Rating	IP00
Standards	EN 61558-2-6, EN61131-2
Product Group	5877
Net Weight	3.307 lb
Packaging Quantity	1 pieces
Commodity Code	85043180
Fuse Characteristic	GR

Description

POWER SUPPLY; PHASES:1; PN(KW):0,024; UPRI(V):400(415); USEC(V DC):24; ISEC(A DC):1/1,2 (60/40 CEL); F(HZ):50...60; VECTOR GR./SHIELD WNG.:II0 /0; PROTECTION CL.:I; TA/ISOKL:60 /B; W(%):5; IP00; TYPE OF TERMINALS:SCREW/TAB CONNECTION; INSTALLATION:MOUNTING RAILS; EN 61558-2-6, EN61131-2 >SAFETY ISOLATING TRANSFORMER<