

### 5SL6340-6

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sl6340-6
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	5SL6340-6
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2006
Configurable Product	False
Country of Origin	R0
ECCN	N
ETIM 7	EC000042
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-0-----
Packaging Size	MM
Product Description	WYŁĄCZNIK NADMIAROWOPRĄDOWY, 6KA, 3-BIEG., B40A
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4001869388908.0
eClass 6	27-14-19-01
eClass 7.1	27-14-19-01
eClass 8	27-14-19-01
eClass Version 9	27-14-19-01
eClass Version 9.1	27-14-19-01
Quantity in Package	1
Packaging Length	94,00
Packaging Width	58,00
Packaging Height	84,00
Product Code	3802
Comparative Metals Coefficient	01.10.2006
Weight	466 kg

## Description

The 5SL6340-6 overload relay is a highly reliable product designed for the protection of electrical circuits. It features a rated current of 40A and a breaking capacity of 6kA. The product complies with RoHS standards since October 1, 2006, confirming its environmental friendliness. The relay is not configurable and is sourced from Romania. Packaging dimensions are 94 mm in length, 58 mm in width, and 84 mm in height, with a weight of 466 g. It is supplied in a single unit package.