

### 5SL6416-7

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sl6416-7
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	5SL6416-7
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2006
Configurable Product	False
Country of Origin	TR
ECCN	N
ETIM 7	EC000042
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-0-----
Packaging Size	MM
Product Description	WYŁĄCZNIK NADMIAROWOPRĄDOWY, 6KA, 4-BIEG., C16A
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4001869389042.0
eClass 6	27-14-19-01
eClass 7.1	27-14-19-01
eClass 8	27-14-19-01
eClass Version 9	27-14-19-01
eClass Version 9.1	27-14-19-01
Quantity in Package	1
Packaging Length	95,00
Packaging Width	75,00
Packaging Height	83,00
Product Code	3803
Comparative Metals Coefficient	01.10.2006
Weight	511 kg

## Description

The 5SL6416-7 overload relay is a RoHS compliant product since 01.10.2006, designed for circuit protection. It features four poles and a rated current of 16A, with a characteristic of 6KA. The product is non-configurable and originates from Turkey. It weighs 511 g, with packaging dimensions of 95 mm in length, 75 mm in width, and 83 mm in height. The relay is classified under group P310 and has a customs tariff code of 85362010.