

### 5ST37702

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5st37702
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	5ST3770-2
AL Field	N
Packaging Width	103,00
Packaging Height	85,00
Packaging Size	MM
Product Description	SYSTEM SZYN ŁĄCZENIOWYCH 5ST37, 10SQMM 56TE, 4-BIEG., DLA WYŁ. KOMBINOWANYCH 1+N I WYŁ. NADMIAROWO-PRĄDOWYCH 2-BIEG., Z OSŁONAMI KOŃCOWYMI, PEŁNA IZOLACJA
Comparative Metals Coefficient	01.10.2008
Unit of Measure	ST
Compliance	Produkt zgodny z RoHS od: 01.10.2008
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-37-13-06
eClass 7.1	27-37-13-06
eClass 8	27-37-13-06
eClass Version 9	27-37-13-06
eClass Version 9.1	27-37-13-06
ETIM 7	EC000215
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-0-----
Packaging Length	1070,00
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85369001
Copper Weight	0
EAN	4001869398020.0
Quantity in Package	1
Product Code	5506
Weight	578
UPC	804766177637
Article Number	5ST37702
Product Family	Ordering Data Overview
Catalog ID	LV10.1

<b>Packaging Dimensions</b>	4.055 x 42.126 x 3.346
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Product Group</b>	5506
<b>Net Weight</b>	1.274 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85369001
<b>Number of Poles</b>	2

## Description

Pin busbar, 10 mm<sup>2</sup> 56 MW, 4-phase, can be cut for LS 2P and RCBO 1P+N touch-safe without end caps