

5SV3312-3

Industrial automation components

Manufacturer	Siemens
Catalog number	5sv3312-3
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Packaging Height	85,00
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 2-bieg., typ F, krótkozwłoczny, In: 25 A, 30 mA, Un AC: 230 V
Comparative Metals Coefficient	01.06.2013
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4001869484372.0
Quantity in Package	1
Product Code	5511
Weight	214
Product ID	5SV3312-3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2013
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Length	42,00
Packaging Width	97,00

Description

wyłącznik ochronny różnicowy, 2-bieg., typ F, krótkozwłoczny, In: 25 A, 30 mA, Un AC: 230 V