

5SV3317-6KL

Industrial automation components

Manufacturer	Siemens
Catalog number	5sv3317-6kl
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	5SV3317-6KL
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 2-bieg., typ A, In: 80 A, 30 mA, Un AC: 230 V, N-z lewej strony
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4001869430027.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	42,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	223 kg

Description

The differential protective switch type A is designed for use in electrical installations. It features two poles with a rated current of 80 A and a sensitivity of 30 mA. Suitable for operation at AC voltage of 230 V, with N on the left side. The product complies with RoHS and REACH standards, ensuring safety and minimal environmental impact. Packaging dimensions are 42.00 mm in length, 97.00 mm in width, and 85.00 mm in height. The product weighs 223 g and is manufactured in Germany.