

### 5SV3321-4

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sv3321-4
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.45 kgs
Product Description	wyłącznik ochronny różnicowy, 2-bieg., typ B, krótkozwłoczny, In: 16 A, 30 mA, Un AC: 230 V
Comparative Metals Coefficient	01.01.2018
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Product ID	5SV3321-4
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2018
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10
Metals Coefficient	L-A-----
Packaging Length	78,00
Packaging Width	97,00
Packaging Height	85,00
Packaging Size	MM
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4001869548869.0
Quantity in Package	1
Product Code	5513
Product Family	Ordering Data Overview
Catalog ID	LV10
Packaging Dimensions	3.819 x 3.071 x 3.346

<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating AC</b>	230 V
<b>Article Number</b>	5SV33214
<b>Product Group</b>	5513
<b>Net Weight</b>	0.836 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85362010
<b>Current Rating</b>	16 A
<b>Number of Poles</b>	2
<b>Trip Curve</b>	D