

### 5SV3344-4

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sv3344-4
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Compliance	Produkt zgodny z RoHS od: 01.01.2018
Copper Weight	0,082
Copper Weight Unit	KG
Country of Origin	DE
ECCN	9N9999
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10
Metals Coefficient	-34-----
Product ID	5SV3344-4
AL Field	N
Argent Weight	0,002
Packaging Length	78,00
Packaging Width	97,00
Packaging Height	85,00
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 4-bieg., typ B, krótkozwłoczný, In: 40 A, 30 mA, Un AC: 400 V
Comparative Metals Coefficient	01.01.2018
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Customs Tariff Code	85362010
EAN	4001869549033.0
Quantity in Package	1
Product Code	5513
Weight	447
Argent Weight Unit	KG
Configurable Product	False
Aluminium Weight	0
Article Number	5SV33444

<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	LV10
<b>Packaging Dimensions</b>	3.819 x 3.071 x 3.346
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating AC</b>	400 V
<b>Product Group</b>	5513
<b>Net Weight</b>	0.992 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85362010
<b>Current Rating</b>	40 A
<b>Number of Poles</b>	4
<b>Trip Curve</b>	D