

5SV3346-6KK01

Industrial automation components

Manufacturer	Siemens
Catalog number	5sv3346-6kk01
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	5SV3346-6KK01
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 4-bieg., typ A, krótkozwłoczny, In: 63 A, 30 mA, Un AC: 400 V
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4001869430898.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	78,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	375 kg

Description

The differential protective switch is a 4-pole type A, short-time delay device with a rated current of 63 A and a sensitivity of 30 mA. It is designed for use in AC installations with a voltage of 400 V. The product complies with RoHS standards since June 1, 2006, and is manufactured in Germany. It weighs 375 g, with packaging dimensions of 78 mm in length, 97 mm in width, and 85 mm in height. The product is not configurable, and its customs tariff code is 85362010. The EAN is 4001869430898.