

5SV3347-6KK01

Industrial automation components

Manufacturer	Siemens
Catalog number	5sv3347-6kk01
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	5SV3347-6KK01
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 4-bieg., typ A, krótkozwłoczny, In: 80 A, 30 mA, Un AC: 400 V
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4001869430904.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	78,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	374 kg

Description

The differential protective switch, 4-pole, type A, with a short delay, has a rated current of I_n : 80 A and sensitivity of 30 mA. Designed for operation at voltage U_n AC: 400 V. The product is RoHS compliant since 01.06.2006, non-configurable, and manufactured in Germany. It weighs 374 g, with packaging dimensions of 78 mm in length, 97 mm in width, and 85 mm in height. The product has a customs tariff code of 85362090 and EAN 4001869430904. It contains substances compliant with REACH regulations.