

### 5SV3347-6KL

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sv3347-6kl
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	5SV3347-6KL
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 4-bieg., typ A, In: 80 A, 30 mA, Un AC: 400 V, N-z lewej strony
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4001869430140.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	78,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	372 kg

## Description

Differential protective switch, 4-pole, type A, with a rated current of 80 A and sensitivity of 30 mA, designed for operation at AC voltage of 400 V. Product compliant with RoHS since 01.06.2006, manufactured in Germany. Weight is 372 g, and packaging dimensions are 78 mm in length, 97 mm in width, and 85 mm in height. The product is not configurable and has a customs tariff code of 85362090. EAN: 4001869430140.0.