

### 5SV3614-6KL

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sv3614-6kl
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	5SV3614-6KL
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Length	42,00
Packaging Width	97,00
Packaging Height	85,00
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 2-bieg., typ A, In: 40 A, 300 mA, Un AC: 230 V, N-z lewej strony
Comparative Metals Coefficient	01.06.2006
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4001869430089.0
Quantity in Package	1
Product Code	5511
Weight	180

## Description

wyłącznik ochronny różnicowy, 2-bieg., typ A, In: 40 A, 300 mA, Un AC: 230 V, N-z lewej strony