

### 5SV3617-6KK01

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sv3617-6kk01
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	5SV3617-6KK01
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 2-bieg., typ A, krótkozwłoczny, In: 80 A, 300 mA, Un AC: 230 V
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4001869430867.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	42,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	215 kg

## Description

The differential protective switch, 2-pole, type A, with a rated current of  $I_n$ : 80 A and sensitivity of 300 mA, is designed for use in AC installations with a voltage of  $U_n$ : 230 V. This product is RoHS compliant since 01.06.2006 and is manufactured in DE. It weighs 215 g and has packaging dimensions of 42.00 x 97.00 x 85.00 mm. The product is not configurable, and its customs tariff code is 85362090. EAN: 4001869430867. It contains substances compliant with REACH regulations.