

5SV3617-6KL

Industrial automation components

Manufacturer	Siemens
Catalog number	5sv3617-6kl
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	5SV3617-6KL
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 2-bieg., typ A, In: 80 A, 300 mA, Un AC: 230 V, N-z lewej strony
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4001869430102.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	42,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	200 kg

Description

The differential protective switch type A is designed for use in electrical installations. It features two poles with a rated current of 80 A and a sensitivity of 300 mA. Suitable for operation at AC voltage of 230 V, with N on the left side. The product complies with RoHS and REACH regulations, ensuring safety and minimal environmental impact. It is equipped with eClass certifications and has a customs tariff code of 85362090. Packaging dimensions are 42.00 x 97.00 x 85.00 mm, and the product weight is 200 g.