

5SV3644-6KK12

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 5sv3644-6kk12 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|--|
| REACH | Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105 |
| Product ID | 5SV3644-6KK12 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 01.06.2006 |
| Configurable Product | False |
| Country of Origin | DE |
| ECCN | N |
| eClass 6 | 27-14-22-01 |
| eClass 7.1 | 27-14-22-01 |
| eClass 8 | 27-14-22-01 |
| eClass Version 9 | 27-14-22-01 |
| eClass Version 9.1 | 27-14-22-01 |
| ETIM 7 | EC000003 |
| Group Classification Key | P310 |
| List of Characteristics | LV10.1 |
| Metals Coefficient | L-A----- |
| Packaging Length | 78,00 |
| Packaging Width | 97,00 |
| Packaging Height | 85,00 |
| Packaging Size | MM |
| Product Description | wyłącznik ochronny różnicowy, 4-bieg., typ A, In: 40 A, 300 mA, Un AC: 400 V, SIGRES (trudne warunki otoczenia) |
| Comparative Metals Coefficient | 01.06.2006 |
| Unit of Measure | ST |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85362010 |
| Copper Weight | 0 |
| EAN | 4001869430645.0 |
| Quantity in Package | 1 |
| Product Code | 5511 |
| Weight | 336 |