

5SV3647-6KK01

Industrial automation components

Manufacturer	Siemens
Catalog number	5sv3647-6kk01
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	5SV3647-6KK01
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 4-bieg., typ A, krótkozwłoczny, In: 80 A, 300 mA, Un AC: 400 V
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4001869430942.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	78,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	374 kg

Description

The differential protective switch type A, 4-pole, short-delay, has a rated current of In: 80 A and sensitivity of 300 mA. Designed for operation at AC voltage of 400 V. The product is RoHS compliant since 01.06.2006, with a country of origin in DE. The weight is 374 g, and the packaging dimensions are 78 mm in length, 97 mm in width, and 85 mm in height. The product is not configurable and has a customs tariff code of 85362090. EAN: 4001869430942.