

5SV3647-6KL

Industrial automation components

Manufacturer	Siemens
Catalog number	5sv3647-6kl
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	5SV3647-6KL
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 4-bieg., typ A, In: 80 A, 300 mA, Un AC: 400 V, N-z lewej strony
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one lblREACHCasNo8105
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4001869430188.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	78,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	336 kg

Description

The 4-pole type A residual current circuit breaker features a rated current of 80 A and a sensitivity of 300 mA, designed for use in AC installations with a voltage of 400 V. This product complies with RoHS standards since June 1, 2006, and is manufactured in Germany. The packaging dimensions are 78 mm in length, 97 mm in width, and 85 mm in height, with a total weight of 336 g. The product is not configurable and is supplied in a single unit package. The EAN for this product is 4001869430188.