

5SV3747-6

Industrial automation components

Manufacturer	Siemens
Catalog number	5sv3747-6
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	5SV3747-6
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.06.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000003
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-A-----
Packaging Size	MM
Product Description	wyłącznik ochronny różnicowy, 4-bieg., typ A, In: 80 A, 500 mA, Un AC: 400 V
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362090
Copper Weight	0
EAN	4001869427911.0
eClass 6	27-14-22-01
eClass 7.1	27-14-22-01
eClass 8	27-14-22-01
eClass Version 9	27-14-22-01
eClass Version 9.1	27-14-22-01
Quantity in Package	1
Packaging Length	78,00
Packaging Width	97,00
Packaging Height	85,00
Product Code	5511
Comparative Metals Coefficient	01.06.2006
Weight	336 kg

Description

The 4-pole type A residual current circuit breaker features a rated current of 80 A and a sensitivity of 500 mA, suitable for AC installations with a voltage of 400 V. This product complies with RoHS standards since June 1, 2006, and is not configurable. It includes classification features such as ETIM 7: EC000003 and eClass 27-14-22-01. The weight is 336 g, with packaging dimensions of 78 mm in length, 97 mm in width, and 85 mm in height. Manufactured in Germany, it is supplied in a single unit packaging.