

### 5SV6016-6KK16

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sv6016-6kk16
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Metals Coefficient	L-A-----
Packaging Length	100,00
Packaging Width	80,00
Packaging Height	44,00
Packaging Size	MM
Product Description	wyłącznik instalacyjny przeciwpożarowy nadmiarowo-prądowy kombinowany 230 V, 6 kA, 1+N, B, 16 A kompaktowy (1 DU)
Comparative Metals Coefficient	01.01.2018
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
Product ID	5SV6016-6KK16
AL Field	N
eClass Version 9.1	27-14-19-06
ETIM 7	EC002694
Group Classification Key	P310
List of Characteristics	LV10
Compliance	Produkt zgodny z RoHS od: 01.01.2018
Configurable Product	False
Country of Origin	CN
ECCN	N
eClass 7.1	27-14-19-06
eClass 8	27-14-19-06
eClass Version 9	27-14-19-06
Quantity in Package	1
Product Code	5546
Weight	134
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4001869564999.0
Article Number	5SV60166KK16
Product Family	Ordering Data Overview
Catalog ID	LV10

<b>Packaging Dimensions</b>	3.15 x 3.937 x 1.732
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	230 V
<b>Product Group</b>	5546
<b>Net Weight</b>	0.298 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	8536200000
<b>Current Rating</b>	16 A