

5SV63166KP16

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 5sv63166kp16 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Legacy / discontinued |

Technical specification

| | |
|--------------------------------|---|
| Product ID | 5SV6316-6KP16 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 01.01.2019 |
| Configurable Product | False |
| Country of Origin | CN |
| ECCN | N |
| eClass 7.1 | 27-14-19-06 |
| eClass 8 | 27-14-19-06 |
| eClass Version 9 | 27-14-19-06 |
| eClass Version 9.1 | 27-14-19-06 |
| ETIM 7 | EC002694 |
| Group Classification Key | P310 |
| List of Characteristics | LV10 |
| Metals Coefficient | L-A----- |
| Packaging Length | 120,00 |
| Packaging Width | 105,00 |
| Packaging Height | 23,00 |
| Packaging Size | MM |
| Product Description | wyłącznik przeciwpożarowy RCBO kombi 230 V, 30 mA, typ A 6 kA, 1+N, B, 16 A kompaktowy (1 DU) pigtail |
| Comparative Metals Coefficient | 01.01.2019 |
| REACH | Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368 |
| Unit of Measure | ST |
| Aluminium Weight | 0 |
| Argent Weight | 0 |
| Customs Tariff Code | 85362010 |
| Copper Weight | 0 |
| EAN | 4001869569529.0 |
| Quantity in Package | 1 |
| Product Code | 5546 |
| Weight | 194 |
| Article Number | 5SV63166KP16 |
| Product Family | Ordering Data Overview |
| Catalog ID | LV10 |
| Packaging Dimensions | 4.134 x 4.724 x 0.906 |

| | |
|-------------------------------------|------------|
| Package Size Unit of Measure | Inch |
| Quantity Unit | 1 Piece |
| Voltage Rating | 230 V |
| Product Group | 5546 |
| Net Weight | 0.428 lb |
| Packaging Quantity | 1 pieces |
| Commodity Code | 8536200000 |
| Current Rating | 16 A |
| Trip Curve | B |

Description

AFDD-RCBO-combination 230V, 30mA, type A 6kA, 1+N, B, 16A compact (1MW) pigtail