

### 5SY17014

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sy17014
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

<b>Compliance</b>	Produkt zgodny z RoHS od: 01.10.2017
<b>Configurable Product</b>	False
<b>Country of Origin</b>	R0
<b>ECCN</b>	N
<b>eClass 6</b>	27-14-19-01
<b>eClass 7.1</b>	27-14-19-01
<b>eClass 8</b>	27-14-19-01
<b>eClass Version 9</b>	27-14-19-01
<b>eClass Version 9.1</b>	27-14-19-01
<b>ETIM 7</b>	EC000042
<b>Group Classification Key</b>	P310
<b>List of Characteristics</b>	LV10
<b>Packaging Length</b>	93,00
<b>Packaging Width</b>	21,00
<b>Packaging Height</b>	83,00
<b>Packaging Size</b>	MM
<b>Comparative Metals Coefficient</b>	01.10.2017
<b>REACH</b>	Lead CAS-Nr. 7439-92-1
<b>Unit of Measure</b>	ST
<b>Product ID</b>	5SY1701-4
<b>AL Field</b>	N
<b>Customs Tariff Code</b>	85362010
<b>EAN</b>	4001869547756.0
<b>Quantity in Package</b>	1
<b>Product Description</b>	wyłącznik ochronny aparatowy 1-bieg. z pomocniczym wyłącznikiem prądu, zestyk zwierny charakterystyka F2 1 A AC 230 V 50/60 Hz DC 60 V Icn 3kA AC według IEC 60934
<b>Product Code</b>	5501
<b>Weight</b>	121
<b>Article Number</b>	5SY17014
<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	LV10
<b>Packaging Dimensions</b>	0.827 x 3.661 x 3.268
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	230 V, 60 V

<b>Frequency Range</b>	50 - 60 Hz
<b>Standards</b>	IEC 60934
<b>Product Group</b>	5501
<b>Net Weight</b>	0.265 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85362010
<b>Current Rating</b>	1 A
<b>Number of Poles</b>	1
<b>Trip Curve</b>	C
<b>Breaking Capacity (Icn)</b>	3 kA

## Description

Device circuit breaker 1-pole with auxiliary switch NO contact Characteristic F2 1A 230 V AC 50/60 Hz 60 V DC Icn 3 kA AC according to IEC 60934