

### 5SY4450-5

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sy4450-5
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	5SY4450-5
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.10.2006
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000042
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-0-----
Packaging Size	MM
Product Description	WYŁĄCZNIK NADMIAROWOPRĄDOWY, 400V 10KA, 4-BIEG., A50A
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Copper Weight	0
EAN	4001869201597.0
eClass 6	27-14-19-01
eClass 7.1	27-14-19-01
eClass 8	27-14-19-01
eClass Version 9	27-14-19-01
eClass Version 9.1	27-14-19-01
Quantity in Package	1
Packaging Length	95,00
Packaging Width	75,00
Packaging Height	83,00
Product Code	5517
Comparative Metals Coefficient	01.10.2006
Weight	654 kg

## Description

The 5SY4450-5 overload relay from SIEMENS is designed for use in electrical installations, operating at 400V with a rated current of 10kA. It features four poles and complies with RoHS standards since 01.10.2006. This product is not configurable and is manufactured in Germany. It weighs 654 g, with packaging dimensions of 95 mm in length, 75 mm in width, and 83 mm in height. The relay is known for its high quality and reliability.