

### 5SY6106-6

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sy6106-6
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	5SY6106-6
AL Field	N
Aluminium Weight	0
Argent Weight	0
Customs Tariff Code	85362010
Compliance	Produkt zgodny z RoHS od: 01.01.2006
Configurable Product	False
Copper Weight	0
Country of Origin	DE
EAN	4001869245867.0
ECCN	N
eClass 6	27-14-19-01
eClass 7.1	27-14-19-01
eClass 8	27-14-19-01
eClass Version 9	27-14-19-01
eClass Version 9.1	27-14-19-01
ETIM 7	EC000042
Group Classification Key	P310
List of Characteristics	LV10.1
Metals Coefficient	L-0-----
Quantity in Package	1
Packaging Length	93,00
Packaging Width	21,00
Packaging Height	83,00
Packaging Size	MM
Product Description	WYŁĄCZNIK NADMIAROWOPRĄDOWY, 400V 6KA, 1-BIEG., B6A
Product Code	5502
Comparative Metals Coefficient	01.01.2006
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Weight	152

## Description

5SY6106-6 | Siemens, Miniature Circuit Breaker, 1 Pole, 230/400 V, 6 A | Brand / Manufacturer: Siemens | product type: Miniature Circuit Breaker | type of actuator: Push Pull | number of bars: 1 | rated voltage: 230/400 V | degree of strength: 6 kA | current rating: 6 A | operating temperature range: -25 to +55 °C (Ambient) | trip type: Type B | Size: 90 x 18 x 76 mm | usage: Mechanical Engineering;Industrial | requirements met: DIN EN 61346-2;CCC Certified;UR Listed;VDE Certified;RCM Listed;IMQ Certified