

### 5SY6320-6

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	5sy6320-6
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.45 kgs
<b>Product ID</b>	5SY6320-6
<b>AL Field</b>	N
<b>Aluminium Weight</b>	0
<b>Argent Weight</b>	0
<b>Customs Tariff Code</b>	85362010
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.10.2006
<b>Configurable Product</b>	False
<b>Copper Weight</b>	0
<b>Country of Origin</b>	DE
<b>EAN</b>	4001869246826.0
<b>ECCN</b>	N
<b>eClass 6</b>	27-14-19-01
<b>eClass 7.1</b>	27-14-19-01
<b>eClass 8</b>	27-14-19-01
<b>eClass Version 9</b>	27-14-19-01
<b>eClass Version 9.1</b>	27-14-19-01
<b>ETIM 7</b>	EC000042
<b>Group Classification Key</b>	P310
<b>List of Characteristics</b>	LV10.1
<b>Metals Coefficient</b>	L-0-----
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	94,00
<b>Packaging Width</b>	58,00
<b>Packaging Height</b>	84,00
<b>Packaging Size</b>	MM
<b>Product Description</b>	WYŁĄCZNIK NADMIAROWOPRĄDOWY, 6KA, 3-BIEG., B20A
<b>Product Code</b>	5502
<b>Comparative Metals Coefficient</b>	01.10.2006
<b>REACH</b>	Lead CAS-Nr. 7439-92-1
<b>Unit of Measure</b>	ST

## Description

5SY6320-6 | Siemens, Miniature Circuit Breaker, Toggle Actuator, 400 V, 20 A, 52.8 x 69.8 x 89.8 mm | Brand / Manufacturer: Siemens | product type: Miniature Circuit Breaker | type of actuator: Toggle | number of bars: 3 | rated voltage: 400 V | degree of strength: 5 kA | current rating: 20 A | operating temperature range: -25 to +55 °C | type of attachment: DIN Rail Mount | Size: 52.8 x 69.8 x 89.8 mm | requirements met: CCC Certified;CE Certified;VDE Certified;DIN EN 61346-2;IEC 60068-2-6;IEC 60068-2-30;UL 1077;CSA C22.2 No.235;EN 60204-1;IEC 60947-2;EN 60898;UR Listed