

6AG10551NB107BA2

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag10551nb107ba2
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Product ID	6AG1055-1NB10-7BA2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 28.07.2015
Configurable Product	False
Country of Origin	Germany
ECCN	EAR99H
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
Weight	300 kg
Customs Tariff Code	85389091
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
Quantity in Package	1
Packaging Length	10,40
Packaging Width	9,40
Packaging Height	7,40
Product Code	4601
Comparative Metals Coefficient	28.07.2015
Product Description	SIPLUS LOGO! DM16 24R -40...+70 °C start up -25°C with conformal coating based on 6ED1055-1NB10-0BA2 . Expansion module, PS/I/O: 24 V DC/24 V DC/relay, 8 DI/8 DO, 4 MW for LOGO! 8
EAN	4047618064242
Article Number	6AG10551NB107BA2
Product Family	SIPLUS LOGO! expansion modules
Product Group	4601
Catalog ID	A&DSE/SIP ADD
Net Weight	0.661 lb
Packaging Dimensions	3.701 x 4.094 x 2.913

Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85389091
Voltage Rating	24 V

Description

The SIPLUS LOGO! DM16 24R is an expansion module based on 6ED1055-1NB10-0BA2, featuring a conformal coating and operating temperature range of -40 to +70 °C, with a startup capability at -25 °C. This module provides power supply and I/O at 24 V DC, with 8 digital inputs, 8 digital outputs, and 4 MW for LOGO! 8. The product is RoHS compliant since 28.07.2015 and is manufactured in Germany. It has a net weight of 0.661 kg, with packaging dimensions of 3.701 x 4.094 x 2.913 inches.