

### 6AG1132-6BD20-7BA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag1132-6bd20-7ba0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Compliance</b>	Produkt zgodny z RoHS od: 18.12.2012
<b>Product ID</b>	6AG1132-6BD20-7BA0
<b>AL Field</b>	N
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	EAR99H
<b>eClass 6</b>	27-24-26-04
<b>eClass 7.1</b>	27-24-26-04
<b>eClass 8</b>	27-24-26-04
<b>eClass Version 9</b>	27-24-26-04
<b>eClass Version 9.1</b>	27-24-26-04
<b>ETIM 7</b>	EC001599
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Length</b>	7,70
<b>Packaging Width</b>	6,90
<b>Packaging Height</b>	2,50
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIPLUS ET 200SP DQ 4x24VDC/2A Standard based on 6ES7132-6BD20-0BA0 with conformal coating, -40...+70 °C, digital output module, suitable for BU type A0, color code CC02, channel diagnostics,
<b>Comparative Metals Coefficient</b>	18.12.2012
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85389091
<b>EAN</b>	4047618043094.0
<b>Quantity in Package</b>	1
<b>Product Code</b>	4257
<b>Weight</b>	41