

6AG11346TD002CA1

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6ag11346td002ca1 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|---------------------------------------|---|
| Product ID | 6AG1134-6TD00-2CA1 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 31.01.2012 |
| Configurable Product | False |
| Country of Origin | DE |
| ECCN | EAR99H |
| ETIM 7 | EC001596 |
| Group Classification Key | R151 |
| List of Characteristics | A&DSE/SIP ADD |
| Packaging Size | CM |
| Product Description | SIPLUS ET 200SP AI 4xI 2-wire 4-20mA HART based on 6ES7134-6TD00-0CA1 with conformal coating, -40...+60 °C, start up -30 °C, analog HART input module, suitable for BU type A0, A1, color code CC03, channel diagnostics, 16-bit, +/-0.3% |
| REACH | Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7 |
| Unit of Measure | ST |
| Customs Tariff Code | 85389091 |
| EAN | 4047618062743.0 |
| eClass 6 | 27-24-26-01 |
| eClass 7.1 | 27-24-26-01 |
| eClass 8 | 27-24-26-01 |
| eClass Version 9 | 27-24-26-01 |
| eClass Version 9.1 | 27-24-26-01 |
| Quantity in Package | 1 |
| Packaging Length | 7,70 |
| Packaging Width | 7,00 |
| Packaging Height | 2,50 |
| Product Code | 4257 |
| Comparative Metals Coefficient | 31.01.2012 |
| Weight | 40 kg |

Description

The SIPLUS ET 200SP AI 4xI 2-wire 4-20mA HART is an analog input module based on 6ES7134-6TD00-0CA1, featuring a conformal coating and operating temperature range of -40 to +60 °C, with a startup capability at -30 °C. This module is suitable for BU type A0, A1, includes channel diagnostics, and offers a 16-bit resolution with an accuracy of +/-0.3%. The product is RoHS compliant since 31.01.2012, and it is manufactured in Germany. The weight is 40 g, and the packaging dimensions are 7.70 x 7.00 x 2.50 cm.