

### 6AG11366AA002CA1

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag11366aa002ca1
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Product ID</b>	6AG1136-6AA00-2CA1
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 04.04.2018
<b>Configurable Product</b>	False
<b>Country of Origin</b>	Germany
<b>ECCN</b>	N
<b>ETIM 7</b>	EC001596
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Size</b>	CM
<b>REACH</b>	Lead CAS-Nr. 7439-92-1
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85389091
<b>eClass 6</b>	27-24-26-01
<b>eClass 7.1</b>	27-24-26-01
<b>eClass 8</b>	27-24-26-01
<b>eClass Version 9</b>	27-24-26-01
<b>eClass Version 9.1</b>	27-24-26-01
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	7,80
<b>Packaging Width</b>	7,00
<b>Packaging Height</b>	2,50
<b>Product Code</b>	4257
<b>Comparative Metals Coefficient</b>	04.04.2018
<b>Weight</b>	66 kg
<b>Product Description</b>	SIPLUS ET 200SP F-AI 4xI 2-/4-wire HF -25...+60°C with conformal coating based on 6ES7136-6AA00-0CA1. electronic module ET 200SP, F-AI 4xI(0)4..20mA HF FAILSAFE ANALOG INPUTS up to PL E (ISO 13849) up to SIL 3 (IEC 61508)
<b>EAN</b>	4047618095406
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Standards</b>	IEC 61508
<b>Article Number</b>	6AG11366AA002CA1
<b>Product Family</b>	SIPLUS analog F-input modules
<b>Product Group</b>	4257

<b>Catalog ID</b>	A&DSE/SIP ADD
<b>Net Weight</b>	0.150 lb
<b>Packaging Dimensions</b>	2.677 x 3.11 x 1.181
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85389091

## Description

SIPLUS ET 200SP F-AI 4xI 2-/4-wire HF -25...+60°C with conformal coating based on 6ES7136-6AA00-0CA1. electronic module ET 200SP, F-AI 4xI(0)4..20mA HF FAILSAFE ANALOG INPUTS up to PL E (ISO 13849) up to SIL 3 (IEC 61508)