

### 6AG1153-4BA00-7XB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag1153-4ba00-7xb0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

<b>Weight</b>	0.45 kgs
<b>Product ID</b>	6AG1153-4BA00-7XB0
<b>Notes</b>	Wycofanie produktu od: 01.10.2023
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 15.03.2015
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	N
<b>eClass 6</b>	27-24-26-08
<b>eClass 7.1</b>	27-24-26-08
<b>eClass 8</b>	27-24-26-08
<b>eClass Version 9</b>	27-24-26-08
<b>eClass Version 9.1</b>	27-24-26-08
<b>ETIM 7</b>	EC001604
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Length</b>	15,40
<b>Packaging Width</b>	21,00
<b>Packaging Height</b>	6,00
<b>Packaging Size</b>	CM
<b>Comparative Metals Coefficient</b>	15.03.2015
<b>Product Description</b>	SIPLUS ET 200M IM153-4 PN IO HF based on 6ES7153-4BA00-0XB0 with conformal coating, -40...+70 °C, start up -25 °C, DP, connection ET 200M for max. 12 S7-300 modules, supports fail-safe modules, HART modules, shared device, medium redundancy protocol
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85176200
<b>EAN</b>	4047618049706.0
<b>Quantity in Package</b>	1
<b>Product Code</b>	4646