

6AG12101PE312UL0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag12101pe312ul0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AG1210-1PE31-2UL0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 24.11.2017
Configurable Product	False
ECCN	EAR99H
ETIM 7	EC001857
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	745,00
Packaging Width	469,00
Packaging Height	385,00
Product Code	4576
Comparative Metals Coefficient	24.11.2017
Weight	58000 kg
EAN	4047618083618
Country of Origin	Germany
Article Number	6AG12101PE312UL0
Product Family	Ordering Data Overview
Product Group	4576
Catalog ID	A&DSE/SIP ADD
Net Weight	127.868 lb
Packaging Dimensions	18.465 x 29.331 x 15.157
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces

Commodity Code	85044088
Voltage Rating	480 V
Power	55, 75 kW
Frequency Range	47 - 63 Hz
IP Rating	IP20

Description

SIPLUS PM240-2 -20 to +50 °C (H0) -20 to +40 °C (L0) With conformal coating based on 6SL3210-1PE31-5UL0 . Unfiltered with integrated braking chopper 380-480 V 3 AC +10/-20% 47-63 Hz Power high overload: 55 kW with 200% 3s, 150% 57s, 100% 240S; Power low overload: 75 kW with 150% 3s, "110% 57S, 100% 240s;" 708x 305x 357 (HxWxD), FSF IP20 degree of protection without CU and operating unit released as of CU FW Version V4.7 HF8