

### 6AG1212-1AE40-2XB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag1212-1ae40-2xb0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.45 kgs
Product ID	6AG1212-1AE40-2XB0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 12.12.2013
Configurable Product	False
Country of Origin	DE
ECCN	EAR99H
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Length	10,50
Packaging Width	10,00
Packaging Height	8,30
Packaging Size	CM
Comparative Metals Coefficient	12.12.2013
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Customs Tariff Code	85371091
EAN	4047618055103.0
Quantity in Package	1
Product Code	4578

## Description

SIPLUS S7-1200 CPU 1212C DC/DC/DC -40...+70°C with conformal coating based on 6ES7212-1AE40-0XB0 . compact "CPU, DC/DC/DC, onboard I/O: ""8" "DI 24 V DC;"" ""6 DO 24 V DC;"" 2" AI 0-10 V DC, Power supply: 20.4-28.8V DC, Program/data memory 75 KB