

### 6AG13146EH047AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag13146eh047ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	801
Product ID	6AG1314-6EH04-7AB0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Compliance	Produkt zgodny z RoHS od: 19.08.2013
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC000236
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Customs Tariff Code	85371091
EAN	4047618046002.0
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
Quantity in Package	1
Packaging Length	13,00
Packaging Width	15,00
Packaging Height	13,00
Product Code	4646
Comparative Metals Coefficient	19.08.2013
Article Number	6AG13146EH047AB0
Product Family	SIPLUS S7-300 CPU 314C-2 PN/DP
Product Group	4646
Catalog ID	A&DSE/SIP ADD
Net Weight	1.792 lb
Packaging Dimensions	5.197 x 6.024 x 5.00
Package Size Unit of Measure	Inch

<b>Quantity Unit</b>	1 Piece
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85371091
<b>Voltage Rating</b>	24 V
<b>Number of Poles</b>	40

## Description

SIPLUS S7-300 CPU 314C-2PN/DP with conformal coating -25...+70°C based on 6ES7314-6EH04-0AB0 . Compact CPU with 192 KB work memory, 24 DI/16 DO, 4 AI, 2 AO, 1 Pt100, 4 high-speed counters (60 kHz), 1st interface MPI/DP 12Mbit/ s, 2nd interface Ethernet PROFINET, with 2-port switch, Integr. power supply 24 V DC, Front connector (2x 40-pole) and Micro Memory Card required