

### 6AG1317-2EK14-7AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag1317-2ek14-7ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.45 kgs
Product ID	6AG1317-2EK14-7AB0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.09.2014
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Length	13,00
Packaging Width	15,00
Packaging Height	5,00
Packaging Size	CM
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Product Description	SIPLUS S7-300 CPU 317-2PN/DP based on 6ES7317-2EK14-0AB0 with conformal coating, -25...+70 °C, central processing unit with 1 MB work memory, 1st interface MPI/DP 12 Mbps, 2nd interface Ethernet PROFINET, with 2-port switch, Micro Memory Card required
Comparative Metals Coefficient	01.09.2014
Customs Tariff Code	85371091
EAN	4042948602768.0
Quantity in Package	1
Product Code	4646

## Description

SIPLUS S7-300 CPU 317-2PN/DP -25...+70°C with conformal coating based on 6ES7317-2Ek14-0AB0 . Central processing unit with 1 MB work memory, 1st interface MPI/DP 12Mbit/ s, 2nd interface Ethernet PROFINET, with 2-port switch, Micro Memory Card required