

6AG1321-7RD00-4AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag1321-7rd00-4ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Length	13,00
Packaging Width	15,00
Packaging Height	5,00
Packaging Size	CM
Product Description	SIPLUS S7-300 SM 321 4DI NAMUR based on 6ES7321-7RD00-0AB0 with conformal coating, 0...+60 °C, digital input isolated 4 DI; 24 V DC, NAMUR/DIN 19234, for signals from the hazardous area, diagnostics-capable, PTB tested
Comparative Metals Coefficient	31.12.2099
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Product ID	6AG1321-7RD00-4AB0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Compliance	Produkt zgodny z RoHS od: 31.12.2099
Configurable Product	False
Country of Origin	DE
ECCN	EAR99H
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
Quantity in Package	1
Product Code	4646
Weight	317
Customs Tariff Code	85389091
EAN	4042948544204.0
Article Number	6AG13217RD004AB0
Product Family	SIPLUS S7-300 Ex digital input modules
Catalog ID	A&DSE/SIP ADD
Packaging Dimensions	5.197 x 5.945 x 2.008
Package Size Unit of Measure	Inch

Quantity Unit	1 Piece
Voltage Rating	24 V
Product Group	4646
Net Weight	0.661 lb
Packaging Quantity	1 pieces
Commodity Code	85389091

Description

6AG1321-7RD00-4AB0 | SIPLUS S7-300 SM321 4DI NAMUR FOR MEDIAL STRESS WITH CONFORMAL COATING BASED ON 6ES7321-7RD00-0AB0 . DIGITAL INPUT OPTICALLY ISOLATE 4 DI, 24V DC | Brand / Manufacturer: Siemens | height: 151 | width: 132 | depth: 51 | mass: 0.3